


Battery Cables

Battery cables are made of 100% copper conductor for maximum current flow. Gravity cast terminals are non-porous and made with 100% recycled lead. Lead is recognized as the premium choice in battery cable terminal construction because of its maximum current flow carrying ability, malleability, and corrosion resistance. Full gauge stranded copper core is flexible for easy installation and allows maximum current for quick starting. Copper core extends to the end of the plated lug to give a one piece solid connection. Wire meets SAE standards. PVC insulation is rated at 105°C.



ALL EAST PENN MANUFACTURED
LEAD PRODUCTS ARE BUILT WITH
100% RECYCLED LEAD ALLOY.

- Packaged Battery Cables
- Lead-Free Battery Cables
- Bulk Battery Cables
- Specialty Cables
- OEM Battery Cables
- Quick Connect™ Splices
- See page 80 for custom cable information

PACKAGED BATTERY CABLES

ALL BATTERY CABLES ARE PACKAGED ONE PER CLAMSHELL

6 GAUGE LAWN & GARDEN SWITCH-TO-STARTER CABLES

Fits up to 5/16" stud



| Part # | Color | Length | Master Carton | | MADE IN USA |
|--------|-------|--------|---------------|--------|-------------|
| | | | Quantity | Weight | |
| 00679 | Black | 19" | 5 | 1 lbs. | ✓ |
| 00680 | Black | 43" | 5 | 3 lbs. | ✓ |
| 00681 | Black | 49" | 5 | 3 lbs. | ✓ |

4 GAUGE TOP POST BATTERY CABLES

- Auxiliary leads are 4" long, 12 gauge
- Bolt and nut included

Fits up to 3/8" stud



| Part # | Color | Length | Leads | Master Carton | | MADE IN USA |
|--------|-------|--------|-------|---------------|--------|-------------|
| | | | | Quantity | Weight | |
| 00784 | Black | 10" | 0 | 5 | 3 lbs. | ✓ |
| 00292 | Red | 10" | 0 | 5 | 3 lbs. | ✓ |
| 00785 | Black | 15" | 0 | 5 | 3 lbs. | ✓ |
| 00293 | Red | 15" | 0 | 5 | 3 lbs. | ✓ |
| 00801 | Black | 20" | 0 | 5 | 4 lbs. | ✓ |
| 00294 | Red | 20" | 0 | 5 | 4 lbs. | ✓ |
| 00802 | Black | 25" | 1 | 5 | 4 lbs. | ✓ |
| 00295 | Red | 25" | 1 | 5 | 4 lbs. | ✓ |
| 00803 | Black | 32" | 1 | 5 | 5 lbs. | ✓ |
| 00296 | Red | 32" | 1 | 5 | 5 lbs. | ✓ |
| 00804 | Black | 38" | 1 | 5 | 5 lbs. | ✓ |
| 00297 | Red | 38" | 1 | 5 | 5 lbs. | ✓ |
| 00805 | Black | 43" | 1 | 5 | 5 lbs. | ✓ |
| 00298 | Red | 43" | 1 | 5 | 5 lbs. | ✓ |
| 00808 | Black | 48" | 1 | 5 | 6 lbs. | ✓ |
| 00299 | Red | 48" | 1 | 5 | 6 lbs. | ✓ |
| 00809 | Black | 56" | 1 | 5 | 6 lbs. | ✓ |
| 00328 | Red | 56" | 1 | 5 | 6 lbs. | ✓ |
| 00810 | Black | 72" | 1 | 5 | 6 lbs. | ✓ |
| 00329 | Red | 72" | 1 | 5 | 6 lbs. | ✓ |

4 GAUGE SWITCH-TO-STARTER CABLES

- Recommended for engine to ground connections

Fits up to 3/8" stud



| Part # | Color | Length | Master Carton | | MADE IN USA |
|--------|-------|--------|---------------|--------|-------------|
| | | | Quantity | Weight | |
| 00286 | Red | 16" | 5 | 2 lbs. | ✓ |
| 00287 | Red | 18" | 5 | 2 lbs. | ✓ |
| 00288 | Red | 24" | 5 | 2 lbs. | ✓ |
| 00289 | Red | 32" | 5 | 3 lbs. | ✓ |
| 00282 | Red | 40" | 5 | 3 lbs. | ✓ |
| 00291 | Red | 49" | 5 | 4 lbs. | ✓ |



**4 GAUGE
SIDE TERMINAL
BATTERY CABLES**

- Auxiliary leads are 4" long, 12 gauge
- Bolt included
- Fits side terminal battery

Fits up to 3/8" stud



| Part # | Color | Length | Leads | Master Carton | | MADE IN USA |
|--------|-------|--------|-------|---------------|--------|-------------|
| | | | | Quantity | Weight | |
| 00813 | Black | 20" | 1 | 5 | 3 lbs. | ✓ |
| 00330 | Red | 20" | 1 | 5 | 3 lbs. | ✓ |
| 00308 | Black | 25" | 1 | 5 | 4 lbs. | ✓ |
| 00302 | Red | 25" | 1 | 5 | 4 lbs. | ✓ |
| 00875 | Black | 30" | 1 | 5 | 4 lbs. | ✓ |
| 00331 | Red | 30" | 1 | 5 | 4 lbs. | ✓ |
| 00309 | Black | 35" | 1 | 5 | 4 lbs. | ✓ |
| 00303 | Red | 35" | 1 | 5 | 4 lbs. | ✓ |
| 00876 | Black | 40" | 1 | 5 | 5 lbs. | ✓ |
| 00332 | Red | 40" | 1 | 5 | 5 lbs. | ✓ |
| 00310 | Black | 45" | 1 | 5 | 5 lbs. | ✓ |
| 00305 | Red | 45" | 1 | 5 | 5 lbs. | ✓ |
| 00897 | Black | 50" | 1 | 5 | 5 lbs. | ✓ |
| 00333 | Red | 50" | 1 | 5 | 5 lbs. | ✓ |
| 00345 | Black | 55" | 1 | 5 | 6 lbs. | ✓ |
| 00306 | Red | 55" | 1 | 5 | 6 lbs. | ✓ |
| 00300 | Black | 65" | 1 | 5 | 6 lbs. | ✓ |
| 00240 | Red | 65" | 1 | 5 | 6 lbs. | ✓ |
| 00360 | Black | 78" | 1 | 5 | 7 lbs. | ✓ |
| 00307 | Red | 78" | 1 | 5 | 7 lbs. | ✓ |

**2 GAUGE
TOP POST BATTERY
CABLES**

- Auxiliary leads are 4" long, 12 gauge
- Bolt and nut included

Fits up to 3/8" stud



| Part # | Color | Length | Leads | Master Carton | | MADE IN USA |
|--------|-------|--------|-------|---------------|--------|-------------|
| | | | | Quantity | Weight | |
| 00365 | Red | 10" | 0 | 5 | 3 lbs. | ✓ |
| 03068 | Red | 15" | 0 | 5 | 4 lbs. | ✓ |
| 04056 | Red | 20" | 0 | 5 | 4 lbs. | ✓ |
| 00173 | Red | 25" | 1 | 5 | 5 lbs. | ✓ |
| 00339 | Red | 32" | 1 | 5 | 5 lbs. | ✓ |
| 00174 | Red | 38" | 1 | 5 | 6 lbs. | ✓ |
| 00176 | Red | 43" | 1 | 5 | 7 lbs. | ✓ |
| 00177 | Red | 48" | 1 | 5 | 7 lbs. | ✓ |

**2 GAUGE
SWITCH-TO-STARTER
CABLES**

- Recommended for engine to ground connections

Fits up to 3/8" stud



| Part # | Color | Length | Master Carton | | MADE IN USA |
|--------|-------|--------|---------------|--------|-------------|
| | | | Quantity | Weight | |
| 00363 | Red | 16" | 5 | 3 lbs. | ✓ |
| 00371 | Red | 18" | 5 | 3 lbs. | ✓ |
| 00178 | Red | 24" | 5 | 3 lbs. | ✓ |
| 00372 | Red | 32" | 5 | 4 lbs. | ✓ |
| 00377 | Red | 40" | 5 | 5 lbs. | ✓ |
| 00180 | Red | 49" | 5 | 6 lbs. | ✓ |



PACKAGED BATTERY CABLES (CONTINUED)

ALL BATTERY CABLES ARE PACKAGED ONE PER CLAMSHELL

2/0 GAUGE TOP STUD STACKABLE BATTERY CABLES

- Made with welding cable
- For Group 31 stud batteries



| Part # | Color | Length | Master Carton | | MADE IN USA |
|--------|-------|--------|---------------|--------|----------------|
| | | | Quantity | Weight | |
| 08757 | Black | 9" | 5 | 3 lbs. | ✓ |
| 08758 | Black | 15" | 5 | 4 lbs. | ✓ |

QUICK CONNECT™ BATTERY HARNESS REPAIR SPLICE

- For fast convenient replacement of hard to reach cables
- Replaces corroded portion, not the entire cable
- Ideal for automotive, truck, and farm applications
- RoHS Compliant
- Includes hex wrench
- See inside back cover for more details



| Part # | Color | Gauge | Type | Master Carton | |
|--------|-------|-------|-----------|---------------|--------|
| | | | | Quantity | Weight |
| 08859 | Black | 4 | Lug-Dual | 5 | 4 lbs. |
| 08863 | Black | 4 | Side-Dual | 5 | 4 lbs. |
| 08864 | Black | 4 | Top-Dual | 5 | 4 lbs. |
| 08865 | Black | 4 | Top | 5 | 3 lbs. |
| 08866 | Black | 4 | Side | 5 | 3 lbs. |
| 08867 | Black | 1 | Top | 5 | 3 lbs. |
| 08868 | Black | 1 | Side | 5 | 3 lbs. |
| 08869 | Black | 4 | Lug | 5 | 3 lbs. |

08859

08863

08864

08865

08866

08867

08868

08869



4 GAUGE BRAIDED GROUND STRAPS

- Tin coated copper
- Maximum protection against corrosion for farm, commercial vehicles, and off-road applications

Fits up to 3/8" stud



| Part # | Length | Master Carton | | MADE IN USA |
|--------|--------|---------------|--------|----------------|
| | | Quantity | Weight | |
| 00301 | 9" | 5 | 3 lbs. | ✓ |
| 00364 | 14" | 5 | 3 lbs. | ✓ |

CUSTOM BUILD UTILITY BATTERY CABLE KIT

- Kit includes 6' of 8 gauge cable w/ four 5/16" lugs
- Custom build battery cables for garden tractors, snowmobiles, and ATVs



| Part # | Master Carton | | MADE IN USA |
|--------|---------------|--------|-------------|
| | Quantity | Weight | |
| 00131 | 12 | 3 lbs. | ✓ |

ACCESSORY LEAD KIT

Kit includes:

- 12 gauge automotive fuse lead assembly w/ 5/16" ring terminal and attached butt splice
- Dual 14 gauge accessory lead assembly w/ 5/16" ring terminal and attached butt splice
- 5/16" - 18 x 1-1/2" battery terminal cross bolt, and 5/16" - 18 nut
- Fuse not included




| Part # | Master Carton | |
|--------|---------------|--------|
| | Quantity | Weight |
| 00215 | 5 | 1 lb. |

BULK BATTERY CABLES

LEAD-FREE 4 GAUGE TOP POST BATTERY CABLES


- Auxiliary leads are 4" long, 12 gauge
- Fits up to 3/8" stud



| 4 Gauge Part # | Color | Length | Leads | Master Carton | | MADE IN USA |
|----------------|-------|--------|-------|---------------|--------|-------------|
| | | | | Quantity | Weight | |
| 04426 | Black | 15" | 1 | 5 | 2 lbs. | ✓ |
| 04427 | Black | 20" | 1 | 5 | 2 lbs. | ✓ |
| 04428 | Black | 25" | 1 | 5 | 3 lbs. | ✓ |
| 04429 | Black | 32" | 1 | 5 | 3 lbs. | ✓ |
| 04430 | Black | 38" | 1 | 5 | 4 lbs. | ✓ |
| 04431 | Black | 43" | 1 | 5 | 4 lbs. | ✓ |
| 04432 | Black | 48" | 1 | 5 | 5 lbs. | ✓ |
| 04433 | Black | 56" | 1 | 5 | 5 lbs. | ✓ |
| 04434 | Black | 72" | 1 | 5 | 6 lbs. | ✓ |

4 GAUGE TOP POST BATTERY CABLES

- Auxiliary leads are 4" long, 12 gauge
- Bolt and nut included
- Fits up to 3/8" stud



| 4 Gauge Part # | Color | Length | Leads | Master Carton | | MADE IN USA |
|----------------|-------|--------|-------|---------------|--------|-------------|
| | | | | Quantity | Weight | |
| 04153 | Black | 10" | 0 | 10 | 5 lbs. | ✓ |
| 04138 | Red | 10" | 0 | 10 | 5 lbs. | ✓ |
| 04184 | Black | 10" | 1 | 10 | 5 lbs. | ✓ |
| 04168 | Red | 10" | 1 | 10 | 5 lbs. | ✓ |
| 04154 | Black | 12" | 0 | 10 | 5 lbs. | ✓ |
| 04139 | Red | 12" | 0 | 10 | 5 lbs. | ✓ |
| 04185 | Black | 12" | 1 | 10 | 5 lbs. | ✓ |
| 04169 | Red | 12" | 1 | 10 | 5 lbs. | ✓ |
| 04155 | Black | 15" | 0 | 10 | 5 lbs. | ✓ |
| 04140 | Red | 15" | 0 | 10 | 5 lbs. | ✓ |
| 04186 | Black | 15" | 1 | 10 | 5 lbs. | ✓ |
| 04170 | Red | 15" | 1 | 10 | 5 lbs. | ✓ |
| 04156 | Black | 20" | 0 | 10 | 6 lbs. | ✓ |
| 04141 | Red | 20" | 0 | 10 | 6 lbs. | ✓ |
| 04187 | Black | 20" | 1 | 10 | 6 lbs. | ✓ |
| 04171 | Red | 20" | 1 | 10 | 6 lbs. | ✓ |
| 04157 | Black | 25" | 0 | 10 | 7 lbs. | ✓ |
| 04142 | Red | 25" | 0 | 10 | 7 lbs. | ✓ |



BULK BATTERY CABLES (CONTINUED)

4 GAUGE TOP POST BATTERY CABLES (CONT.)

- Auxiliary leads are 4" long, 12 gauge
- Bolt and nut included

Fits up to 3/8" stud




| 4 Gauge Part # | Color | Length | Leads | Master Carton | | MADE IN USA |
|----------------|-------|--------|-------|---------------|---------|-------------|
| | | | | Quantity | Weight | |
| 04188 | Black | 25" | 1 | 10 | 7 lbs. | ✓ |
| 04172 | Red | 25" | 1 | 10 | 7 lbs. | ✓ |
| 04158 | Black | 27" | 0 | 10 | 7 lbs. | ✓ |
| 04143 | Red | 27" | 0 | 10 | 7 lbs. | ✓ |
| 04189 | Black | 27" | 1 | 10 | 7 lbs. | ✓ |
| 04173 | Red | 27" | 1 | 10 | 7 lbs. | ✓ |
| 04159 | Black | 32" | 0 | 10 | 8 lbs. | ✓ |
| 04144 | Red | 32" | 0 | 10 | 8 lbs. | ✓ |
| 04190 | Black | 32" | 1 | 10 | 8 lbs. | ✓ |
| 04174 | Red | 32" | 1 | 10 | 8 lbs. | ✓ |
| 04160 | Black | 34" | 0 | 10 | 8 lbs. | ✓ |
| 04145 | Red | 34" | 0 | 10 | 8 lbs. | ✓ |
| 04191 | Black | 34" | 1 | 10 | 8 lbs. | ✓ |
| 04175 | Red | 34" | 1 | 10 | 8 lbs. | ✓ |
| 04161 | Black | 38" | 0 | 10 | 9 lbs. | ✓ |
| 04146 | Red | 38" | 0 | 10 | 9 lbs. | ✓ |
| 04192 | Black | 38" | 1 | 10 | 9 lbs. | ✓ |
| 04176 | Red | 38" | 1 | 10 | 9 lbs. | ✓ |
| 04162 | Black | 43" | 0 | 10 | 9 lbs. | ✓ |
| 04147 | Red | 43" | 0 | 10 | 9 lbs. | ✓ |
| 04193 | Black | 43" | 1 | 10 | 9 lbs. | ✓ |
| 04177 | Red | 43" | 1 | 10 | 9 lbs. | ✓ |
| 04163 | Black | 48" | 0 | 10 | 10 lbs. | ✓ |
| 04148 | Red | 48" | 0 | 10 | 10 lbs. | ✓ |
| 04194 | Black | 48" | 1 | 10 | 10 lbs. | ✓ |
| 04178 | Red | 48" | 1 | 10 | 10 lbs. | ✓ |
| 04164 | Black | 53" | 0 | 10 | 10 lbs. | ✓ |
| 04149 | Red | 53" | 0 | 10 | 10 lbs. | ✓ |
| 04195 | Black | 53" | 1 | 10 | 10 lbs. | ✓ |
| 04179 | Red | 53" | 1 | 10 | 10 lbs. | ✓ |
| 04165 | Black | 56" | 0 | 10 | 11 lbs. | ✓ |
| 04150 | Red | 56" | 0 | 10 | 11 lbs. | ✓ |
| 04196 | Black | 56" | 1 | 10 | 11 lbs. | ✓ |
| 04180 | Red | 56" | 1 | 10 | 11 lbs. | ✓ |
| 04166 | Black | 65" | 0 | 10 | 11 lbs. | ✓ |
| 04151 | Red | 65" | 0 | 10 | 11 lbs. | ✓ |
| 04197 | Black | 65" | 1 | 10 | 12 lbs. | ✓ |
| 04181 | Red | 65" | 1 | 10 | 12 lbs. | ✓ |
| 04167 | Black | 72" | 0 | 10 | 13 lbs. | ✓ |
| 04152 | Red | 72" | 0 | 10 | 13 lbs. | ✓ |
| 04198 | Black | 72" | 1 | 10 | 13 lbs. | ✓ |
| 04182 | Red | 72" | 1 | 10 | 13 lbs. | ✓ |
| 04199 | Black | 78" | 1 | 10 | 14 lbs. | ✓ |
| 04183 | Red | 78" | 1 | 10 | 14 lbs. | ✓ |

4 GAUGE SIDE TERMINAL BATTERY CABLES

- Auxiliary leads are 4" long, 12 gauge
- Bolt included

Fits up to 3/8" stud



| 4 Gauge Part # | Color | Length | Leads | Master Carton | | MADE IN USA |
|----------------|-------|--------|-------|---------------|---------|-------------|
| | | | | Quantity | Weight | |
| 04266 | Black | 20" | 1 | 10 | 6 lbs. | ✓ |
| 04256 | Red | 20" | 1 | 10 | 6 lbs. | ✓ |
| 04267 | Black | 25" | 1 | 10 | 6 lbs. | ✓ |
| 04257 | Red | 25" | 1 | 10 | 6 lbs. | ✓ |
| 04268 | Black | 30" | 1 | 10 | 7 lbs. | ✓ |
| 04258 | Red | 30" | 1 | 10 | 7 lbs. | ✓ |
| 04269 | Black | 35" | 1 | 10 | 7 lbs. | ✓ |
| 04259 | Red | 35" | 1 | 10 | 7 lbs. | ✓ |
| 04270 | Black | 40" | 1 | 10 | 8 lbs. | ✓ |
| 04260 | Red | 40" | 1 | 10 | 8 lbs. | ✓ |
| 04271 | Black | 45" | 1 | 10 | 9 lbs. | ✓ |
| 04261 | Red | 45" | 1 | 10 | 9 lbs. | ✓ |
| 04272 | Black | 50" | 1 | 10 | 9 lbs. | ✓ |
| 04262 | Red | 50" | 1 | 10 | 9 lbs. | ✓ |
| 04273 | Black | 55" | 1 | 10 | 10 lbs. | ✓ |
| 04263 | Red | 55" | 1 | 10 | 10 lbs. | ✓ |
| 04274 | Black | 65" | 1 | 10 | 11 lbs. | ✓ |
| 04264 | Red | 65" | 1 | 10 | 11 lbs. | ✓ |
| 04275 | Black | 78" | 1 | 10 | 13 lbs. | ✓ |
| 04265 | Red | 78" | 1 | 10 | 13 lbs. | ✓ |


4 GAUGE SWITCH-TO-STARTER CABLES

- Recommended for engine to ground connections
- Fits up to 3/8" stud



2 GAUGE TOP POST BATTERY CABLES

- Auxiliary leads are 4" long, 12 gauge
- Bolt and nut included
- Fits up to 3/8" stud



| 4 Gauge Part # | Color | Length | Master Carton | | MADE IN USA |
|----------------|-------|--------|---------------|--------|-------------|
| | | | Quantity | Weight | |
| 04282 | Black | 16" | 10 | 4 lbs. | ✓ |
| 04276 | Red | 16" | 10 | 4 lbs. | ✓ |
| 04283 | Black | 18" | 10 | 4 lbs. | ✓ |
| 04277 | Red | 18" | 10 | 4 lbs. | ✓ |
| 04284 | Black | 24" | 10 | 4 lbs. | ✓ |
| 04278 | Red | 24" | 10 | 4 lbs. | ✓ |
| 04285 | Black | 32" | 10 | 5 lbs. | ✓ |
| 04279 | Red | 32" | 10 | 5 lbs. | ✓ |
| 04286 | Black | 40" | 10 | 6 lbs. | ✓ |
| 04280 | Red | 40" | 10 | 6 lbs. | ✓ |
| 04287 | Black | 49" | 10 | 7 lbs. | ✓ |
| 04281 | Red | 49" | 10 | 7 lbs. | ✓ |

| 2 Gauge Part # | Color | Length | Leads | Master Carton | | MADE IN USA |
|----------------|-------|--------|-------|---------------|---------|-------------|
| | | | | Quantity | Weight | |
| 04214 | Black | 10" | 0 | 10 | 6 lbs. | ✓ |
| 04200 | Red | 10" | 0 | 10 | 6 lbs. | ✓ |
| 04242 | Black | 10" | 1 | 10 | 6 lbs. | ✓ |
| 04228 | Red | 10" | 1 | 10 | 6 lbs. | ✓ |
| 04215 | Black | 15" | 0 | 10 | 7 lbs. | ✓ |
| 04201 | Red | 15" | 0 | 10 | 7 lbs. | ✓ |
| 04243 | Black | 15" | 1 | 10 | 7 lbs. | ✓ |
| 04229 | Red | 15" | 1 | 10 | 7 lbs. | ✓ |
| 04216 | Black | 20" | 0 | 10 | 7 lbs. | ✓ |
| 04202 | Red | 20" | 0 | 10 | 7 lbs. | ✓ |
| 04244 | Black | 20" | 1 | 10 | 7 lbs. | ✓ |
| 04230 | Red | 20" | 1 | 10 | 7 lbs. | ✓ |
| 04217 | Black | 23" | 0 | 10 | 8 lbs. | ✓ |
| 04203 | Red | 23" | 0 | 10 | 8 lbs. | ✓ |
| 04245 | Black | 25" | 1 | 10 | 9 lbs. | ✓ |
| 04231 | Red | 25" | 1 | 10 | 9 lbs. | ✓ |
| 04218 | Black | 27" | 0 | 10 | 9 lbs. | ✓ |
| 04204 | Red | 27" | 0 | 10 | 9 lbs. | ✓ |
| 04246 | Black | 27" | 1 | 10 | 9 lbs. | ✓ |
| 04232 | Red | 27" | 1 | 10 | 9 lbs. | ✓ |
| 04219 | Black | 32" | 0 | 10 | 10 lbs. | ✓ |
| 04205 | Red | 32" | 0 | 10 | 10 lbs. | ✓ |
| 04247 | Black | 32" | 1 | 10 | 10 lbs. | ✓ |
| 04233 | Red | 32" | 1 | 10 | 10 lbs. | ✓ |
| 04220 | Black | 34" | 0 | 10 | 11 lbs. | ✓ |
| 04206 | Red | 34" | 0 | 10 | 11 lbs. | ✓ |
| 04248 | Black | 34" | 1 | 10 | 11 lbs. | ✓ |
| 04234 | Red | 34" | 1 | 10 | 11 lbs. | ✓ |
| 04221 | Black | 38" | 0 | 10 | 12 lbs. | ✓ |
| 04207 | Red | 38" | 0 | 10 | 12 lbs. | ✓ |
| 04249 | Black | 38" | 1 | 10 | 12 lbs. | ✓ |
| 04235 | Red | 38" | 1 | 10 | 12 lbs. | ✓ |
| 04222 | Black | 43" | 0 | 10 | 13 lbs. | ✓ |
| 04208 | Red | 43" | 0 | 10 | 13 lbs. | ✓ |
| 04250 | Black | 43" | 1 | 10 | 13 lbs. | ✓ |
| 04236 | Red | 43" | 1 | 10 | 13 lbs. | ✓ |
| 04223 | Black | 48" | 0 | 10 | 14 lbs. | ✓ |
| 04209 | Red | 48" | 0 | 10 | 14 lbs. | ✓ |
| 04251 | Black | 48" | 1 | 10 | 14 lbs. | ✓ |
| 04237 | Red | 48" | 1 | 10 | 14 lbs. | ✓ |
| 04224 | Black | 53" | 0 | 10 | 15 lbs. | ✓ |
| 04210 | Red | 53" | 0 | 10 | 15 lbs. | ✓ |
| 04252 | Black | 53" | 1 | 10 | 15 lbs. | ✓ |
| 04238 | Red | 53" | 1 | 10 | 15 lbs. | ✓ |
| 04225 | Black | 58" | 0 | 10 | 16 lbs. | ✓ |
| 04211 | Red | 58" | 0 | 10 | 16 lbs. | ✓ |
| 04253 | Black | 58" | 1 | 10 | 16 lbs. | ✓ |
| 04239 | Red | 58" | 1 | 10 | 16 lbs. | ✓ |
| 04226 | Black | 65" | 0 | 10 | 17 lbs. | ✓ |
| 04212 | Red | 65" | 0 | 10 | 17 lbs. | ✓ |
| 04254 | Black | 65" | 1 | 10 | 17 lbs. | ✓ |
| 04240 | Red | 65" | 1 | 10 | 17 lbs. | ✓ |
| 04227 | Black | 72" | 0 | 10 | 18 lbs. | ✓ |
| 04213 | Red | 72" | 0 | 10 | 18 lbs. | ✓ |
| 04255 | Black | 72" | 1 | 10 | 18 lbs. | ✓ |
| 04241 | Red | 72" | 1 | 10 | 18 lbs. | ✓ |



2 GAUGE SWITCH-TO-STARTER CABLES


- Recommended for engine to ground connections
- Fits up to 3/8" stud



| 2 Gauge Part # | Color | Length | Master Carton | | MADE IN USA |
|----------------|-------|--------|---------------|---------|-------------|
| | | | Quantity | Weight | |
| 04294 | Black | 16" | 10 | 6 lbs. | ✓ |
| 04288 | Red | 16" | 10 | 6 lbs. | ✓ |
| 04295 | Black | 18" | 10 | 6 lbs. | ✓ |
| 04289 | Red | 18" | 10 | 6 lbs. | ✓ |
| 04296 | Black | 24" | 10 | 7 lbs. | ✓ |
| 04290 | Red | 24" | 10 | 7 lbs. | ✓ |
| 04297 | Black | 32" | 10 | 8 lbs. | ✓ |
| 04291 | Red | 32" | 10 | 8 lbs. | ✓ |
| 04298 | Black | 40" | 10 | 9 lbs. | ✓ |
| 04292 | Red | 40" | 10 | 9 lbs. | ✓ |
| 04299 | Black | 49" | 10 | 10 lbs. | ✓ |
| 04293 | Red | 49" | 10 | 10 lbs. | ✓ |

JUMPER CABLES

- Made with welding cable
- For series hook-up



| Part # | Color | Gauge | Length | Master Carton | | MADE IN USA |
|-------------------------------|-------|-------|--------|---------------|---------|-------------|
| | | | | Quantity | Weight | |
| Straight Terminals | | | | | | |
| 04302 | Black | 1 | 8" | 6 | 8 lbs. | ✓ |
| 04303 | Black | 1 | 12" | 6 | 8 lbs. | ✓ |
| 04309 | Black | 2/0 | 8" | 6 | 8 lbs. | ✓ |
| 04310 | Black | 2/0 | 12" | 6 | 8 lbs. | ✓ |
| 04311 | Black | 2/0 | 19" | 6 | 10 lbs. | ✓ |
| Same Side Terminals | | | | | | |
| 04304 | Black | 1 | 8" | 6 | 8 lbs. | ✓ |
| 04305 | Black | 1 | 12" | 6 | 9 lbs. | ✓ |
| 04312 | Black | 2/0 | 8" | 6 | 8 lbs. | ✓ |
| 04313 | Black | 2/0 | 12" | 6 | 9 lbs. | ✓ |
| 04314 | Black | 2/0 | 19" | 6 | 12 lbs. | ✓ |
| Offset Angle Terminals | | | | | | |
| 04300 | Black | 1 | 8" | 6 | 8 lbs. | ✓ |
| 04301 | Black | 1 | 12" | 6 | 9 lbs. | ✓ |
| 04306 | Black | 2/0 | 8" | 6 | 8 lbs. | ✓ |
| 04307 | Black | 2/0 | 12" | 6 | 9 lbs. | ✓ |
| 04308 | Black | 2/0 | 19" | 6 | 11 lbs. | ✓ |

6 GAUGE GOLF CAR JUMPER CABLES

- Top Post Style**
- For series hook up

- Lug To Lug Style**

- Lugs are tin-plated copper 11/32" stud hole size



| Part # | Color | Length | Master Carton | | MADE IN USA |
|------------------------------|-------|--------|---------------|--------|-------------|
| | | | Quantity | Weight | |
| Top Post Jumpers | | | | | |
| 03327 | Black | 9" | 10 | 6 lbs. | ✓ |
| 04327 | Red | 9" | 10 | 6 lbs. | ✓ |
| 03328 | Black | 12" | 10 | 7 lbs. | ✓ |
| 04328 | Red | 12" | 10 | 7 lbs. | ✓ |
| Stud Terminal Jumpers | | | | | |
| 03332 | Black | 9" | 10 | 1 lb. | ✓ |
| 04332 | Red | 9" | 10 | 1 lb. | ✓ |
| 03333 | Black | 12" | 10 | 2 lbs. | ✓ |
| 04333 | Red | 12" | 10 | 2 lbs. | ✓ |
| 03334 | Black | 20" | 10 | 2 lbs. | ✓ |
| 04334 | Red | 20" | 10 | 2 lbs. | ✓ |

2/0 GAUGE TOP STUD STACKABLE BATTERY CABLES

- Made with welding cable


For Group 31 stud batteries

Fits up to 3/8" stud




| Part # | Color | Length | Master Carton | | MADE IN USA |
|--------|-------|--------|---------------|--------|-------------|
| | | | Quantity | Weight | |
| 04315 | Black | 7" | 6 | 3 lbs. | ✓ |
| 01484 | Red | 7" | 6 | 3 lbs. | ✓ |
| 08754 | Black | 9" | 6 | 3 lbs. | ✓ |
| 04316 | Black | 13" | 6 | 4 lbs. | ✓ |
| 01485 | Red | 13" | 6 | 4 lbs. | ✓ |
| 08755 | Black | 15" | 6 | 4 lbs. | ✓ |

CABLE HOOKUPS FOR MULTIPLE BATTERY CLUSTERS



2/0 GAUGE HARNESS ASSEMBLIES

- 04317 & 04318 include three hex serrated flange nuts and one charging post for 3/8" stud-type battery
- 04319 & 04320 include four hex serrated flange nuts and one charging post for 3/8" stud-type battery



| Part # | Color | Length | Master Carton | | MADE IN USA |
|--------|-------|--------|---------------|--------|-------------|
| | | | Quantity | Weight | |
| 04317 | Red | 7" | 1 | 1 lb. | ✓ |
| 04318 | Black | 7" | 1 | 1 lb. | ✓ |
| 04319 | Red | 14" | 1 | 2 lbs. | ✓ |
| 04320 | Black | 14" | 1 | 2 lbs. | ✓ |

OVERMOLDED HARNESS ASSEMBLIES

- Made with 2/0 PVC starter cable
- Attached protective caps to seal connection
- Fits up to 3/8" stud



| Part # | Color | Length | Master Carton | |
|--------|-------|--------|---------------|--------|
| | | | Quantity | Weight |
| 04362 | Red | 7" | 1 | 1 lb. |
| 04363 | Black | 7" | 1 | 1 lb. |
| 04364 | Red | 14" | 1 | 2 lbs. |
| 04365 | Black | 14" | 1 | 2 lbs. |

2/0 GAUGE FLEET BATTERY CABLES

- 1/2" stud hole size
- Made with PVC starter cable




| Part # | Color | Length | Master Carton | | MADE IN USA |
|--------|-------|--------|---------------|---------|-------------|
| | | | Quantity | Weight | |
| 04321 | Black | 12" | 6 | 6 lbs. | ✓ |
| 04322 | Black | 24" | 6 | 9 lbs. | ✓ |
| 04323 | Black | 36" | 6 | 12 lbs. | ✓ |
| 04324 | Black | 48" | 6 | 15 lbs. | ✓ |
| 04325 | Black | 60" | 6 | 18 lbs. | ✓ |
| 04326 | Black | 72" | 6 | 21 lbs. | ✓ |



4 GAUGE BONDING STRAPS


Fits up to 3/8" stud
 • Tin-plated copper braid



| Part # | Gauge | Length | Master Carton | | MADE IN |
|--------|-------|--------|---------------|--------|---------|
| | | | Quantity | Weight | USA |
| 04353 | 4 | 8" | 10 | 2 lbs. | ✓ |
| 04354 | 4 | 12" | 10 | 2 lbs. | ✓ |

GROUND STRAPS

Fits up to 3/8" stud
 • Tin-plated copper braid



| Part # | Gauge | Length | Master Carton | | MADE IN |
|--------|-------|--------|---------------|--------|---------|
| | | | Quantity | Weight | USA |
| 04345 | 4 | 7" | 10 | 4 lbs. | ✓ |
| 04346 | 4 | 9" | 10 | 4 lbs. | ✓ |
| 04347 | 4 | 11" | 10 | 5 lbs. | ✓ |
| 04348 | 4 | 14" | 10 | 5 lbs. | ✓ |
| 04349 | 4 | 16" | 10 | 5 lbs. | ✓ |
| 04350 | 4 | 19" | 10 | 6 lbs. | ✓ |
| 04351 | 4 | 24" | 10 | 7 lbs. | ✓ |
| 04352 | 4 | 27" | 10 | 7 lbs. | ✓ |
| 04337 | 2 | 7" | 10 | 5 lbs. | ✓ |
| 04338 | 2 | 9" | 10 | 5 lbs. | ✓ |
| 04339 | 2 | 11" | 10 | 6 lbs. | ✓ |
| 04340 | 2 | 14" | 10 | 6 lbs. | ✓ |
| 04341 | 2 | 16" | 10 | 7 lbs. | ✓ |
| 04342 | 2 | 19" | 10 | 7 lbs. | ✓ |
| 04343 | 2 | 24" | 10 | 8 lbs. | ✓ |
| 01051 | 2 | 26" | 10 | 9 lbs. | ✓ |
| 04344 | 2 | 27" | 10 | 9 lbs. | ✓ |

12 GAUGE CUP STYLE CHARGING CABLE

• For group charging top post batteries



| Part # | Color | Length | Master Carton | | MADE IN |
|--------|-------|--------|---------------|---------|---------|
| | | | Quantity | Weight | USA |
| 04335 | Black | 15" | 100 | 31 lbs. | ✓ |

2/0 GAUGE FORD DIESEL HARNESS

• Fits Ford Diesel trucks w/ dual batteries (1987-present)
 • Red cable w/ black loom



| Part # | Color | Length | Master Carton | | MADE IN |
|--------|-------|--------|---------------|--------|---------|
| | | | Quantity | Weight | USA |
| 04357 | Red | 116" | 1 | 7 lbs. | ✓ |
| 00593 | Red | 123" | 1 | 8 lbs. | ✓ |

