

All Battery Cables Are Packaged One Per Clamshell

Battery cables are made of 100% copper conductor with gravity cast antimonial lead universal terminals. Full-gauge stranded copper core is flexible for easy installation and allows maximum current for quick starting. Copper core extends to the end of the plated lug to give a one-piece solid connection. Wire meets SAE standards. PVC Insulated with 105°C jacketed. Dual Auxiliary leads are for use in Chrysler Corp. vehicles, 1976 and later models, requiring multi-lead cable for positive battery connection.

6 Gauge Lawn & Garden Switch-to-Starter Cables

Fits up to 5/16" stud



Part #	Color	Length	Master Carton		MADE IN USA
			Quantity	Weight	
00679	Black	19"	5	1 lbs.	✓
00680	Black	43"	5	3 lbs.	✓
00681	Black	49"	5	3 lbs.	✓

4 Gauge Top Post Battery Cables

- Auxiliary leads are 4" long, 12 gauge



Part #	Color	Length	Leads	Master Carton		MADE IN USA
				Quantity	Weight	
00784	Black	10"	0	5	3 lbs.	✓
00292	Red	10"	0	5	3 lbs.	✓
00785	Black	15"	0	5	3 lbs.	✓
00293	Red	15"	0	5	3 lbs.	✓
00801	Black	20"	0	5	4 lbs.	✓
00294	Red	20"	0	5	4 lbs.	✓
00802	Black	25"	1	5	4 lbs.	✓
00295	Red	25"	1	5	4 lbs.	✓
00803	Black	32"	1	5	5 lbs.	✓
00296	Red	32"	1	5	5 lbs.	✓
00804	Black	38"	1	5	5 lbs.	✓
00297	Red	38"	1	5	5 lbs.	✓
00805	Black	43"	1	5	5 lbs.	✓
00298	Red	43"	1	5	5 lbs.	✓
00808	Black	48"	1	5	6 lbs.	✓
00299	Red	48"	1	5	6 lbs.	✓
00809	Black	56"	1	5	6 lbs.	✓
00328	Red	56"	1	5	6 lbs.	✓
00810	Black	72"	1	5	6 lbs.	✓
00329	Red	72"	1	5	6 lbs.	✓

4 Gauge Switch-to-Starter Cables

- Recommended for engine to ground connections

Fits up to 3/8" stud



Part #	Color	Length	Master Carton		MADE IN USA
			Quantity	Weight	
00286	Red	16"	5	2 lbs.	✓
00287	Red	18"	5	2 lbs.	✓
00288	Red	24"	5	2 lbs.	✓
00289	Red	32"	5	3 lbs.	✓
00282	Red	40"	5	3 lbs.	✓
00291	Red	49"	5	4 lbs.	✓

4 Gauge Side Terminal Battery Cables

- Auxiliary leads are 4" long, 12 gauge
 - Bolt included
 - Fits side terminal battery
- Fits up to 3/8" stud**



Part #	Color	Length	Leads	Master Carton		MADE IN USA
				Quantity	Weight	
00813	Black	20"	1	5	3 lbs.	✓
00330	Red	20"	1	5	3 lbs.	✓
00308	Black	25"	1	5	4 lbs.	✓
00302	Red	25"	1	5	4 lbs.	✓
00875	Black	30"	1	5	4 lbs.	✓
00331	Red	30"	1	5	4 lbs.	✓
00309	Black	35"	1	5	4 lbs.	✓
00303	Red	35"	1	5	4 lbs.	✓
00876	Black	40"	1	5	5 lbs.	✓
00332	Red	40"	1	5	5 lbs.	✓
00310	Black	45"	1	5	5 lbs.	✓
00305	Red	45"	1	5	5 lbs.	✓
00897	Black	50"	1	5	5 lbs.	✓
00333	Red	50"	1	5	5 lbs.	✓
00345	Black	55"	1	5	6 lbs.	✓
00306	Red	55"	1	5	6 lbs.	✓
00300	Black	65"	1	5	6 lbs.	✓
00240	Red	65"	1	5	6 lbs.	✓
00360	Black	78"	1	5	7 lbs.	✓
00307	Red	78"	1	5	7 lbs.	✓

2 Gauge Top Post Battery Cables

- Auxiliary leads are 4" long, 12 gauge
- Fits up to 3/8" stud**



Part #	Color	Length	Leads	Master Carton		MADE IN USA
				Quantity	Weight	
00365	Red	10"	0	5	3 lbs.	✓
03068	Red	15"	0	5	4 lbs.	✓
04056	Red	20"	0	5	4 lbs.	✓
00173	Red	25"	1	5	5 lbs.	✓
00339	Red	32"	1	5	5 lbs.	✓
00174	Red	38"	1	5	6 lbs.	✓
00176	Red	43"	1	5	7 lbs.	✓
00177	Red	48"	1	5	7 lbs.	✓

2 Gauge Switch-to-Starter Cables

- Recommended for engine to ground connections
- Fits up to 3/8" stud**



Part #	Color	Length	Master Carton		MADE IN USA
			Quantity	Weight	
00363	Red	16"	5	3 lbs.	✓
00371	Red	18"	5	3 lbs.	✓
00178	Red	24"	5	3 lbs.	✓
00372	Red	32"	5	4 lbs.	✓
00377	Red	40"	5	5 lbs.	✓
00180	Red	49"	5	6 lbs.	✓

All Battery Cables Are Packaged One Per Clamshell

**2/0 Gauge
Top Stud Stackable
Battery Cables**

- Made with welding cable
- For Group 31 stud batteries



Part #	Color	Length	Master Carton		MADE IN USA
			Quantity	Weight	
08757	Black	9"	5	3 lbs.	✓
08758	Black	15"	5	4 lbs.	✓

**Quick Connect™
Battery Harness Repair Splice**

- For fast convenient replacement of hard to reach cables
- Replaces corroded portion, not the entire cable
- Ideal for automotive, truck, farm, and industrial applications
- RoHS Compliant
- See inside back cover for more details

Part #	Color	Gauge	Type	Master Carton	
				Quantity	Weight
08863	Black	4	Side-Dual	5	4 lbs.
08864	Black	4	Top-Dual	5	4 lbs.
08865	Black	4	Top	5	3 lbs.
08866	Black	4	Side	5	3 lbs.
08867	Black	1	Top	5	3 lbs.
08868	Black	1	Side	5	3 lbs.

08863



08864



08865



08866



08867



08868



**4 Gauge
Braided Ground Straps**

- Tin coated copper
- Maximum protection against corrosion for farm, commercial vehicles, and off-road applications

Fits up to 3/8" stud



Part #	Length	Master Carton		MADE IN USA
		Quantity	Weight	
00301	9"	5	3 lbs.	✓
00364	14"	5	3 lbs.	✓

Utility Battery Cable Kit

- Kit includes 6' of 8 gauge cable w/ four 5/16" lugs
- Suited for garden tractors, snowmobiles, and ATVs



Part #	Master Carton		MADE IN USA
	Quantity	Weight	
00131	6	3 lbs.	✓

Accessory Lead Kit

- Kit includes:
- 12 gauge automotive fuse lead assembly w/ 5/16" ring terminal and attached butt splice
 - Dual 14 gauge accessory lead assembly with same
 - 5/16" - 18 x 1-1/2" battery terminal cross bolt, and 5/16" - 18 nut.
 - Fuse not included.




Part #	Master Carton	
	Quantity	Weight
00215	5	1 lb.

Lead-Free Battery Cables – Bulk

Battery cables are made of 100% copper conductor with OE style lead-free universal terminal. Full-gauge copper core is flexible for easy installation and allows maximum current for quick starting. Copper core extends to the end of the plated lug to give a one-piece solid connection. Wire meets SAE standards. PVC Insulated with 105°C jacketing.

4 Gauge Top Post Battery Cables

- Auxiliary leads are 4" long, 12 gauge
- Fits up to 3/8" stud



4 Gauge Part #	Color	Length	Leads	Master Carton		MADE IN USA
				Quantity	Weight	
04426	Black	15"	1	5	2 lbs.	✓
04427	Black	20"	1	5	2 lbs.	✓
04428	Black	25"	1	5	3 lbs.	✓
04429	Black	32"	1	5	3 lbs.	✓
04430	Black	38"	1	5	4 lbs.	✓
04431	Black	43"	1	5	4 lbs.	✓
04432	Black	48"	1	5	5 lbs.	✓
04433	Black	56"	1	5	5 lbs.	✓
04434	Black	72"	1	5	6 lbs.	✓

Battery Cables – Bulk

Battery cables are made of 100% copper conductor with cast lead universal terminals. Full-gauge stranded copper core is flexible for easy installation and allows maximum current for quick starting. Copper core extends to the end of the plated lug to give a one-piece solid connection. Wire meets SAE standards. PVC Insulated with 105°C jacketing. Dual Auxiliary leads are for use in Chrysler Corp. vehicles, 1976 and later models, requiring multi-lead cable for positive terminal connection.

4 Gauge Top Post Battery Cables

- Auxiliary leads are 4" long, 12 gauge
- Fits up to 3/8" stud



4 Gauge Part #	Color	Length	Leads	Master Carton		MADE IN USA
				Quantity	Weight	
04153	Black	10"	0	10	5 lbs.	✓
04138	Red	10"	0	10	5 lbs.	✓
04184	Black	10"	1	10	5 lbs.	✓
04168	Red	10"	1	10	5 lbs.	✓
04154	Black	12"	0	10	5 lbs.	✓
04139	Red	12"	0	10	5 lbs.	✓
04185	Black	12"	1	10	5 lbs.	✓
04169	Red	12"	1	10	5 lbs.	✓
04155	Black	15"	0	10	5 lbs.	✓
04140	Red	15"	0	10	5 lbs.	✓
04186	Black	15"	1	10	5 lbs.	✓
04170	Red	15"	1	10	5 lbs.	✓
04156	Black	20"	0	10	6 lbs.	✓
04141	Red	20"	0	10	6 lbs.	✓
04187	Black	20"	1	10	6 lbs.	✓
04171	Red	20"	1	10	6 lbs.	✓
04157	Black	25"	0	10	7 lbs.	✓
04142	Red	25"	0	10	7 lbs.	✓

**4 Gauge
Top Post Battery Cables (cont.)**


- Auxiliary leads are 4" long, 12 gauge
- Fits up to 3/8" stud



4 Gauge Part #	Color	Length	Leads	Master Carton		MADE IN USA
				Quantity	Weight	
04188	Black	25"	1	10	7 lbs.	✓
04172	Red	25"	1	10	7 lbs.	✓
04158	Black	27"	0	10	7 lbs.	✓
04143	Red	27"	0	10	7 lbs.	✓
04189	Black	27"	1	10	7 lbs.	✓
04173	Red	27"	1	10	7 lbs.	✓
04159	Black	32"	0	10	8 lbs.	✓
04144	Red	32"	0	10	8 lbs.	✓
04190	Black	32"	1	10	8 lbs.	✓
04174	Red	32"	1	10	8 lbs.	✓
04160	Black	34"	0	10	8 lbs.	✓
04145	Red	34"	0	10	8 lbs.	✓
04191	Black	34"	1	10	8 lbs.	✓
04175	Red	34"	1	10	8 lbs.	✓
04161	Black	38"	0	10	9 lbs.	✓
04146	Red	38"	0	10	9 lbs.	✓
04192	Black	38"	1	10	9 lbs.	✓
04176	Red	38"	1	10	9 lbs.	✓
04162	Black	43"	0	10	9 lbs.	✓
04147	Red	43"	0	10	9 lbs.	✓
04193	Black	43"	1	10	9 lbs.	✓
04177	Red	43"	1	10	9 lbs.	✓
04163	Black	48"	0	10	10 lbs.	✓
04148	Red	48"	0	10	10 lbs.	✓
04194	Black	48"	1	10	10 lbs.	✓
04178	Red	48"	1	10	10 lbs.	✓
04164	Black	53"	0	10	10 lbs.	✓
04149	Red	53"	0	10	10 lbs.	✓
04195	Black	53"	1	10	10 lbs.	✓
04179	Red	53"	1	10	10 lbs.	✓
04165	Black	56"	0	10	11 lbs.	✓
04150	Red	56"	0	10	11 lbs.	✓
04196	Black	56"	1	10	11 lbs.	✓
04180	Red	56"	1	10	11 lbs.	✓
04166	Black	65"	0	10	11 lbs.	✓
04151	Red	65"	0	10	11 lbs.	✓
04197	Black	65"	1	10	12 lbs.	✓
04181	Red	65"	1	10	12 lbs.	✓
04167	Black	72"	0	10	13 lbs.	✓
04152	Red	72"	0	10	13 lbs.	✓
04198	Black	72"	1	10	13 lbs.	✓
04182	Red	72"	1	10	13 lbs.	✓
04199	Black	78"	1	10	14 lbs.	✓
04183	Red	78"	1	10	14 lbs.	✓

**4 Gauge
Side Terminal Battery Cables**

- Auxiliary leads are 4" long, 12 gauge
- Bolt included
- Fits up to 3/8" stud



4 Gauge Part #	Color	Length	Leads	Master Carton		MADE IN USA
				Quantity	Weight	
04266	Black	20"	1	10	6 lbs.	✓
04256	Red	20"	1	10	6 lbs.	✓
04267	Black	25"	1	10	6 lbs.	✓
04257	Red	25"	1	10	6 lbs.	✓
04268	Black	30"	1	10	7 lbs.	✓
04258	Red	30"	1	10	7 lbs.	✓
04269	Black	35"	1	10	7 lbs.	✓
04259	Red	35"	1	10	7 lbs.	✓
04270	Black	40"	1	10	8 lbs.	✓
04260	Red	40"	1	10	8 lbs.	✓
04271	Black	45"	1	10	9 lbs.	✓
04261	Red	45"	1	10	9 lbs.	✓
04272	Black	50"	1	10	9 lbs.	✓
04262	Red	50"	1	10	9 lbs.	✓
04273	Black	55"	1	10	10 lbs.	✓
04263	Red	55"	1	10	10 lbs.	✓
04274	Black	65"	1	10	11 lbs.	✓
04264	Red	65"	1	10	11 lbs.	✓
04275	Black	78"	1	10	13 lbs.	✓
04265	Red	78"	1	10	13 lbs.	✓



**4 Gauge
Switch-to-Starter Cables**

- Recommended for engine to ground connections
- Fits up to 3/8" stud**



4 Gauge Part #	Color	Length	Master Carton		MADE IN USA
			Quantity	Weight	
04282	Black	16"	10	4 lbs.	✓
04276	Red	16"	10	4 lbs.	✓
04283	Black	18"	10	4 lbs.	✓
04277	Red	18"	10	4 lbs.	✓
04284	Black	24"	10	4 lbs.	✓
04278	Red	24"	10	4 lbs.	✓
04285	Black	32"	10	5 lbs.	✓
04279	Red	32"	10	5 lbs.	✓
04286	Black	40"	10	6 lbs.	✓
04280	Red	40"	10	6 lbs.	✓
04287	Black	49"	10	7 lbs.	✓
04281	Red	49"	10	7 lbs.	✓

**2 Gauge
Top Post Battery Cables**

- Auxiliary leads are 4" long, 12 gauge
- Fits up to 3/8" stud**



2 Gauge Part #	Color	Length	Leads	Master Carton		MADE IN USA
				Quantity	Weight	
04214	Black	10"	0	10	6 lbs.	✓
04200	Red	10"	0	10	6 lbs.	✓
04242	Black	10"	1	10	6 lbs.	✓
04228	Red	10"	1	10	6 lbs.	✓
04215	Black	15"	0	10	7 lbs.	✓
04201	Red	15"	0	10	7 lbs.	✓
04243	Black	15"	1	10	7 lbs.	✓
04229	Red	15"	1	10	7 lbs.	✓
04216	Black	20"	0	10	7 lbs.	✓
04202	Red	20"	0	10	7 lbs.	✓
04244	Black	20"	1	10	7 lbs.	✓
04230	Red	20"	1	10	7 lbs.	✓
04217	Black	23"	0	10	8 lbs.	✓
04203	Red	23"	0	10	8 lbs.	✓
04245	Black	25"	1	10	9 lbs.	✓
04231	Red	25"	1	10	9 lbs.	✓
04218	Black	27"	0	10	9 lbs.	✓
04204	Red	27"	0	10	9 lbs.	✓
04246	Black	27"	1	10	9 lbs.	✓
04232	Red	27"	1	10	9 lbs.	✓
04219	Black	32"	0	10	10 lbs.	✓
04205	Red	32"	0	10	10 lbs.	✓
04247	Black	32"	1	10	10 lbs.	✓
04233	Red	32"	1	10	10 lbs.	✓
04220	Black	34"	0	10	11 lbs.	✓
04206	Red	34"	0	10	11 lbs.	✓
04248	Black	34"	1	10	11 lbs.	✓
04234	Red	34"	1	10	11 lbs.	✓
04221	Black	38"	0	10	12 lbs.	✓
04207	Red	38"	0	10	12 lbs.	✓
04249	Black	38"	1	10	12 lbs.	✓
04235	Red	38"	1	10	12 lbs.	✓
04222	Black	43"	0	10	13 lbs.	✓
04208	Red	43"	0	10	13 lbs.	✓
04250	Black	43"	1	10	13 lbs.	✓
04236	Red	43"	1	10	13 lbs.	✓
04223	Black	48"	0	10	14 lbs.	✓
04209	Red	48"	0	10	14 lbs.	✓
04251	Black	48"	1	10	14 lbs.	✓
04237	Red	48"	1	10	14 lbs.	✓
04224	Black	53"	0	10	15 lbs.	✓
04210	Red	53"	0	10	15 lbs.	✓
04252	Black	53"	1	10	15 lbs.	✓
04238	Red	53"	1	10	15 lbs.	✓
04225	Black	58"	0	10	16 lbs.	✓
04211	Red	58"	0	10	16 lbs.	✓
04253	Black	58"	1	10	16 lbs.	✓
04239	Red	58"	1	10	16 lbs.	✓
04226	Black	65"	0	10	17 lbs.	✓
04212	Red	65"	0	10	17 lbs.	✓
04254	Black	65"	1	10	17 lbs.	✓
04240	Red	65"	1	10	17 lbs.	✓
04227	Black	72"	0	10	18 lbs.	✓
04213	Red	72"	0	10	18 lbs.	✓
04255	Black	72"	1	10	18 lbs.	✓
04241	Red	72"	1	10	18 lbs.	✓

2 Gauge Switch-to-Starter Cables

- Recommended for engine to ground connections
- Fits up to 3/8" stud



2 Gauge Part #	Color	Length	Master Carton		MADE IN USA
			Quantity	Weight	
04294	Black	16"	10	6 lbs.	✓
04288	Red	16"	10	6 lbs.	✓
04295	Black	18"	10	6 lbs.	✓
04289	Red	18"	10	6 lbs.	✓
04296	Black	24"	10	7 lbs.	✓
04290	Red	24"	10	7 lbs.	✓
04297	Black	32"	10	8 lbs.	✓
04291	Red	32"	10	8 lbs.	✓
04298	Black	40"	10	9 lbs.	✓
04292	Red	40"	10	9 lbs.	✓
04299	Black	49"	10	10 lbs.	✓
04293	Red	49"	10	10 lbs.	✓

Jumper Cables

- Made with welding cable
- For series hook-up



Straight terminals


Same-side terminals

Offset angle terminals

Part #	Color	Gauge	Length	Master Carton		MADE IN USA
				Quantity	Weight	
Straight Terminals						
04302	Black	1	8"	6	8 lbs.	✓
04303	Black	1	12"	6	8 lbs.	✓
04309	Black	2/0	8"	6	8 lbs.	✓
04310	Black	2/0	12"	6	8 lbs.	✓
04311	Black	2/0	19"	6	10 lbs.	✓
Same Side Terminals						
04304	Black	1	8"	6	8 lbs.	✓
04305	Black	1	12"	6	9 lbs.	✓
04312	Black	2/0	8"	6	8 lbs.	✓
04313	Black	2/0	12"	6	9 lbs.	✓
04314	Black	2/0	19"	6	12 lbs.	✓
Offset Angle Terminals						
04300	Black	1	8"	6	8 lbs.	✓
04301	Black	1	12"	6	9 lbs.	✓
04306	Black	2/0	8"	6	8 lbs.	✓
04307	Black	2/0	12"	6	9 lbs.	✓
04308	Black	2/0	19"	6	11 lbs.	✓

6 Gauge Golf Car Jumper Cables

- For series hook up



Lug To Lug Style

- Lugs are tin-plated copper 11/32" stud hole size

Part #	Color	Length	Master Carton		MADE IN USA
			Quantity	Weight	
Top Post Jumpers					
03327	Black	9"	10	6 lbs.	✓
04327	Red	9"	10	6 lbs.	✓
03328	Black	12"	10	7 lbs.	✓
04328	Red	12"	10	7 lbs.	✓
Stud Terminal Jumpers					
03332	Black	9"	10	1 lb.	✓
04332	Red	9"	10	1 lb.	✓
03333	Black	12"	10	2 lbs.	✓
04333	Red	12"	10	2 lbs.	✓
03334	Black	20"	10	2 lbs.	✓
04334	Red	20"	10	2 lbs.	✓

12 Gauge Cup Style Charging Cable

- For group charging top post batteries



Part #	Color	Length	Master Carton		MADE IN USA
			Quantity	Weight	
04335	Black	15"	100	31 lbs.	✓

2/0 Gauge Top Stud Stackable Battery Cables


- Made with welding cable
- For Group 31 stud batteries



Part #	Color	Length	Master Carton		MADE IN
			Quantity	Weight	USA
04315	Black	7"	6	3 lbs.	✓
01484	Red	7"	6	3 lbs.	✓
08754	Black	9"	6	3 lbs.	✓
04316	Black	13"	6	4 lbs.	✓
01485	Red	13"	6	4 lbs.	✓
08755	Black	15"	6	4 lbs.	✓

2/0 Gauge Harness Assemblies

- 04317 & 04318 include three hex serrated flange nuts and one charging post for 3/8" stud-type battery
- 04319 & 04320 include four hex serrated flange nuts and one charging post for 3/8" stud-type battery



Part #	Color	Length	Master Carton		MADE IN
			Quantity	Weight	USA
04317	Red	7"	1	1 lb.	✓
04318	Black	7"	1	1 lb.	✓
04319	Red	14"	1	2 lbs.	✓
04320	Black	14"	1	2 lbs.	✓

Overmolded Harness Assemblies

- Made with 2/0 PVC starter cable
- Attached protective caps to seal connection



Part #	Color	Length	Master Carton	
			Quantity	Weight
04362	Red	7"	1	1 lb.
04363	Black	7"	1	1 lb.
04364	Red	14"	1	2 lbs.
04365	Black	14"	1	2 lbs.

2/0 Gauge Fleet Battery Cables

- 1/2" stud hole size
- Made with PVC starter cable



Part #	Color	Length	Master Carton		MADE IN
			Quantity	Weight	USA
04321	Black	12"	6	6 lbs.	✓
04322	Black	24"	6	9 lbs.	✓
04323	Black	36"	6	12 lbs.	✓
04324	Black	48"	6	15 lbs.	✓
04325	Black	60"	6	18 lbs.	✓
04326	Black	72"	6	21 lbs.	✓

4 Gauge Bonding Straps

- Fits up to 3/8" stud
- Tin-plated copper braid



Part #	Gauge	Length	Master Carton		MADE IN
			Quantity	Weight	USA
04353	4	8"	10	2 lbs.	✓
04354	4	12"	10	2 lbs.	✓

Ground Straps

- Fits up to 3/8" stud



Part #	Gauge	Length	Master Carton		MADE IN
			Quantity	Weight	USA
04345	4	7"	10	4 lbs.	✓
04346	4	9"	10	4 lbs.	✓
04347	4	11"	10	5 lbs.	✓
04348	4	14"	10	5 lbs.	✓
04349	4	16"	10	5 lbs.	✓
04350	4	19"	10	6 lbs.	✓
04351	4	24"	10	7 lbs.	✓
04352	4	27"	10	7 lbs.	✓
04337	2	7"	10	5 lbs.	✓
04338	2	9"	10	5 lbs.	✓
04339	2	11"	10	6 lbs.	✓
04340	2	14"	10	6 lbs.	✓
04341	2	16"	10	7 lbs.	✓
04342	2	19"	10	7 lbs.	✓
04343	2	24"	10	8 lbs.	✓
01051	2	26"	10	9 lbs.	✓
04344	2	27"	10	9 lbs.	✓

2/0 Gauge Ford Diesel Harness

- Fits Ford Diesel trucks w/ dual batteries (1987-present)
- Red cable w/ black loom



Part #	Color	Length	Master Carton		MADE IN USA
			Quantity	Weight	
04357	Red	116"	1	7 lbs.	✓
00593	Red	123"	1	8 lbs.	✓


OEM Exact Fit Battery Cables

A line of battery cables with quality construction, superior performance, and OE design. No more cutting, stripping, and crimping. These battery cables are ready to install straight from the package. Cables, which were previously available only through costly dealership service facilities, are now available to aftermarket retail outlets. Our "Exact Fit" cables are engineered to meet and exceed OE requirements. Without increasing the wire gauge, they contain more copper strands to allow for greater flexibility and more starting power.


See cable diagrams next page.

Part #	Gauge	Length	Master Carton	
			Quantity	Weight
01452	1	39"	1	3 lbs.
01448	2	32"	1	3 lbs.
01450	2	33"	1	3 lbs.
01460	1	48"	1	5 lbs.
01447	2	25"	1	2 lbs.
01461	4	24"	1	2 lbs.
01403	4	25"	1	2 lbs.
01462	4	33.5"	1	2 lbs.
01454	4	8"	1	1 lb.
01456	4	24"	1	2 lbs.
01436	4	49"	1	2 lbs.
01459	4	69"	1	4 lbs.
01453	6	25"	1	1 lb.
01439	6	27"	1	1 lb.
01457	6	27"	1	1 lb.
01455	6	27.5"	1	1 lb.
01449	6	28"	1	1 lb.
01451	6	28"	1	1 lb.
01458	6	31.5"	1	1 lb.
01429	6	32"	1	1 lb.

OEM Style Battery Cable Diagrams



01403




01436




01454



01461




01429, 01451



01458




01447, 01449, 01450,
01452, 01453, 01455,
01456, 01460



01457



01448



01459



01439



01462